Clemson University TigerPrints

Focus on Creative Inquiry

Research and Innovation Month

2014

Royal jelly-mediated prolongevity in Caenorhabditis elegans is modulated by the interplays of DAF-16, SIR-2.1, HCF-1 and 14-3-3 proteins

L. Cook

L. Grasso

Y. Dong

X. Wang

Follow this and additional works at: https://tigerprints.clemson.edu/foci

Recommended Citation

Cook, L.; Grasso, L.; Dong, Y.; and Wang, X., "Royal jelly-mediated prolongevity in Caenorhabditis elegans is modulated by the interplays of DAF-16, SIR-2.1, HCF-1 and 14-3-3 proteins" (2014). *Focus on Creative Inquiry*. 29. https://tigerprints.clemson.edu/foci/29

This Article is brought to you for free and open access by the Research and Innovation Month at TigerPrints. It has been accepted for inclusion in Focus on Creative Inquiry by an authorized administrator of TigerPrints. For more information, please contact kokeefe@clemson.edu.

Royal Jelly Mediated Prolongevity and Anti-stress Functions in C.elegans

Introduction

Royal jelly is secreted from the glands in the hypopharynx of worker bees, which is used to feed larvae, as well as adult queens. The main composition of royal jelly includes proteins, carbohydrates, fatty acids, minerals and vitamins. Royal jelly has antibacterial effects, healing promoting effects on stomatitis, and can help people recover from tiredness and overwork. Moreover, royal jelly could stimulate and regenerate the nervous system, accelerating the healing and consolidation of fractured bones. In our study, we focus on whether royal jelly can extend lifespan and increase tolerance of several stresses, which might be beneficial to treatment of age-related disorders.



It is well known that the insulin pathway plays a key role in prolongevity. DAF-16 is an essential downstream component factor in this pathway and when it translocates in to the nucleus, it behaves as a key transcriptional factor that can increase the gene expression of several longevity and stress resistant genes.

As a result, the increase of DAF-16 activity could increase lifespan extension and stress resistant function. In our research, we also test whether royal jelly can increase the tolerance to several stresses such as oxidative stress and UV stress. Oxidative stress shows an imbalance between the systemic manifestation of reactive oxygen species and a biological system's ability to readily detoxify (Nemoto, 2004) the reactive intermediates or to repair the damage. In regards to UV stress, UV light could damage DNA integrity, which could then increase the DNA damage and age-related disorders. Based on the previous research, we have known that oxidative stress and DNA damage could induce several age-related disorders, so we can use our model to test the mechanism of age-related disorders and determine how to slow down the development of the disorders.

References

- 1. Kenyon C (2005) The plasticity of aging: insights from long-lived mutants. Cell 120: 449-460
- 2. Kenyon C (2010) The genetics of ageing. Nature 464: 504-512.
- 3. Honda Y, Tanaka M, Honda S (2010) Redox regulation, gene expression and longevity. Geriat Gerontol Int 10: S59-S69.
- 4. Shino Nemoto Toren Finkel Ageing and the mystery at Arles. Nature 429, 149-152(2004)
- 5. Yoko Hond, et al Lifespan-Extending Effects of Royal Jelly and Its Related Substances on the Nematode Caenorhabditis elegans, DOI: 10.1371/journal.pone.0023527

Lauren F Cook, Lindsay M Grasso, Department of Biological Science, Clemson University

Su

Results and Conclusion

Royal Jelly could extend *C.elegans* lifespan **Dependent on DAF-16**







Our results showed that royal jelly has the beneficial effects for prolongevity and the underlying mechanism of royal jelly's action has been partially discovered. Considering that royal jelly may promote C. elegans stress responses to oxidative stress and UV irradiation, we will further work on whether royal jelly can protect genome stability from DNA damage, and test whether royal jelly can slow down the development of age-related disorders, such as Huntington's disease, Alzheimer's, and sarcopenia.

Acknowledgement

We would like to thank the kindly support of Creative Inquiry program. We also want to thank Yamada Research Grant (Japan) for providing royal jelly samples. We are grateful to thank Dr. Yuging Dong and Dr. Min Cao, who gave us a lot of guidance and help for our research. We also want to thanks to the lab members, Xiaoxia Wang, Ojas Natarajan and Hong Guo.



Royal Jelly Increase tolerance of C.elegans to UV stress