

5-4-2023

## Live Well, Eat Well, Be Active With Diabetes Curriculum Improves Type 2 Diabetes Management

Lauren Amaya  
*Oklahoma State University*

Dana Baldwin  
*Oklahoma State University*

Kathy Enyart  
*Oklahoma State University*

Arleen James  
*Oklahoma State University*

Tommie M. James  
*Oklahoma State University*

*See next page for additional authors*



This work is licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/).

---

### Recommended Citation

Amaya, L., Baldwin, D., Enyart, K., James, A., James, T. M., King, P. R., Maples, J., Peterman, L., Randolph, S., Rash, D., Ratcliff, K., Rhodes, J., Riggan, J., Risley, J., Russell, D., & Hermann, J. (2023). Live Well, Eat Well, Be Active With Diabetes Curriculum Improves Type 2 Diabetes Management. *The Journal of Extension*, 61(1), Article 7. <https://doi.org/10.34068/joe.61.01.07>

This Ideas at Work is brought to you for free and open access by the Conferences at TigerPrints. It has been accepted for inclusion in The Journal of Extension by an authorized editor of TigerPrints. For more information, please contact [kokeefe@clemson.edu](mailto:kokeefe@clemson.edu).

---

## **Live Well, Eat Well, Be Active With Diabetes Curriculum Improves Type 2 Diabetes Management**

### **Authors**

Lauren Amaya, Dana Baldwin, Kathy Enyart, Arleen James, Tommie M. James, Penny R. King, Jan Maples, Lindy Peterman, Sara Randolph, Dea Rash, Kelsey Ratcliff, Joy Rhodes, Jessica Riggan, Janis Risley, Danette Russell, and Janice Hermann

---

## Live Well, Eat Well, Be Active with Diabetes Curriculum Improves Type 2 Diabetes Management

LAUREN AMAYA<sup>1</sup>, DANA BALDWIN<sup>1</sup>, KATHY ENYART<sup>1</sup>, ARLEEN JAMES<sup>1</sup>, TOMMIE M. JAMES<sup>1</sup>, PENNY R. KING<sup>1</sup>, JAN MAPLES<sup>1</sup>, LINDY PETERMAN<sup>1</sup>, SARA RANDOLPH<sup>1</sup>, DEA RASH<sup>1</sup>, KELSEY RATCLIFF<sup>1</sup>, JOY RHODES<sup>1</sup>, JESSICA RIGGIN<sup>1</sup>, JANIS RISLEY<sup>1</sup>, DANETTE RUSSELL<sup>1</sup>, AND JANICE HERMANN<sup>1</sup>

AUTHORS: <sup>1</sup>Oklahoma State University.

---

---

**Abstract.** Type 2 diabetes is a complex disease with several modifiable lifestyle factors. The Extension ‘Live well, Eat well, be Active with Diabetes’ curriculum provides four 90-minute sessions teaching individuals to live well, eat well, and be active with diabetes. Fourteen Extension educators implemented and evaluated the curriculum with 107 participants. Participants reported the program helped them feel better able to take care of their health. We observed significant differences in participants’ retrospective pre and post ‘Live well,’ ‘Eat well’ and ‘be Active’ total scores. Extension has a unique opportunity to educate individuals so they may better manage their diabetes.

---

---

### INTRODUCTION

Diabetes is a critical issue in Oklahoma. From 1995 to 2010, the age-adjusted prevalence of diabetes rose 226.7% in the state (Centers for Disease Control and Prevention [CDC], 2012), and Oklahoma currently has a higher prevalence of diabetes in adults than the US average (13.0% vs 10.6%) (America’s Health Rankings United Health Foundation, 2022). Modifiable risk factors, such as obesity, physical inactivity, and poor nutrition have significant impacts on progression and management of type 2 diabetes mellitus (Faidon et al., 2020).

The benefits of diabetes self-management education, such as the Diabetes Self-Management Education and Support (DSMES) program, are profound (CDC, 2018). Research shows individuals who participate in diabetes self-management education are more likely to take medications as prescribed, manage their blood glucose, blood pressure, and cholesterol levels and have lower health care costs compared to those who do not receive diabetes education (Association of Diabetes Care & Education Specialists, 2021).

In Oklahoma, participation in diabetes self-management education is low. In fact, only 51.1% of Oklahoma adults with diabetes report attending a diabetes self-management class (CDC, 2017). Oklahoma has 77 counties, 16 metro and 60 nonmetro (Economic Research Service [ERS], 2021). Of 24 DSMES programs in metro counties, 67% are available to the general population and 33% are available through Tribal/Indian Health Services. Of 25 DSMES programs in nonmetro counties, 36% are available to the general population and 64% are available through Tribal/Indian Health Services (Oklahoma State Department of Health, 2022).

Extension has played an important role in diabetes education (Grenci, 2010; Kaiser et al., 2009; Williams et al., 2004). The Live well, Eat well, be Active with Diabetes (LEAD) curriculum, offered through Oklahoma Cooperative Extensive Service (OCES), has provided community-based diabetes management education to Oklahomans with type 2 diabetes at no cost, in many locations where DSMES programs may not be available.

## CURRICULUM

We used the Health Belief Model as the framework for developing the LEAD curriculum. The LEAD curriculum is composed of four weekly, 90-minute lessons. Each lesson contains content on living well, eating well, and being active with diabetes. These topics build on one another each lesson, encouraging repetition and enhancing knowledge (Table 1).

Each lesson contains a PowerPoint, hands-on activities, and handouts. Participants receive the *Choose Your Foods: Food Lists for Diabetes* (American Diabetes Association [ADA] & Academy of Nutrition and Dietetics, 2019) and a diabetes plate placemat to facilitate learning the diabetes plate method and carbohydrate counting. Prior to conducting the LEAD curriculum, OCES family and consumer science (FCS) county educators attend an all-day training course covering background information on diabetes and important components of diabetes management consistent with the ADA, and curriculum implementation and evaluation. We review and update the curriculum annually to reflect current diabetes best practices (ADA, 2021) and provide yearly trainings for county educators on new ADA and curriculum updates.

## EVALUATION AND RESULTS

We evaluated the LEAD curriculum using a retrospective pre-post evaluation instrument (Davis, 2003). Oklahoma State University Institutional Review Board for Human Subjects approved the evaluation instrument and protocol. The instrument consisted of two demographic items and four curriculum items with two response options (yes, no) and two self-reported health outcome items with three response options (yes, no, I do not know). The instrument also included 13 'Live well,' 18 'Eat well' and 13 'be Active' items with three response options (yes, sometimes, no). We coded 'Live well,' 'Eat well' and 'be Active' item response options as yes = 2, sometimes = 1 and no = 0. We calculated 'Live well,' 'Eat well' and 'be Active' total scores by summing the item response codes. We also calculated Cronbach alphas for the 'Live well,' 'Eat well' and 'be Active' items (Santos, 1999).

We analyzed data using PC SAS for Windows, Version 9.4 (SAS Institute, Cary, NC). Data were included in the analysis if participants completed all 'Live well,' 'Eat well' and 'be Active' items. Significance was set at  $p < 0.05$ . We used frequency procedure to analyze demographic, curriculum and self-reported health outcome data. Differences in retrospective pre and post 'Live well,' 'Eat well' and 'be Active' item rankings and total scores were analyzed using Wilcoxon matched-pairs signed-ranks test.

Fourteen county educators implemented and evaluated the LEAD curriculum in 17 counties, 13 nonmetro and 4 metro (ERS, 2021), with 165 participants from January 2017 through December 2019. However, only 107 participants completed all 'Live well,' 'Eat well' and 'be Active' items. Table 2 provides participants' gender and age ranges.

At post, 99% of participants reported "the program was helpful to me" and 98% reported "the program was easy to understand." All participants (100%) reported "overall, I feel better able to take care of my health." In addition, 68% reported "my blood glucose is in better control" (Table 3).

There was a significant ( $p < 0.0001$ ) difference in participants' retrospective pre and post 'Live well' total score, with 83% of participants increasing their 'Live well' total score (Table 4). The Cronbach alpha for 'Live well' items was 0.86.

There also was a significant ( $p < 0.0001$ ) difference in participants' retrospective pre and post 'Eat well' total score, with 91% of participants increasing their 'Eat well' total score (Table 5). The Cronbach alpha for 'Eat well' items was 0.91.

Similarly, there was a significant ( $p < 0.0001$ ) difference in participants' retrospective pre and post 'be Active' total score, with 78% of participants increasing their 'be Active' score (Table 6). The Cronbach alpha for 'be Active' items was 0.89.

# Live Well, Eat Well, Be Active with Diabetes Curriculum

**Table 1.** Live well, Eat well, Be Active with Diabetes Lesson Content

| Lesson   | 'Live well' content  | 'Eat well' content  | 'Be Active' content  |
|----------|--|---|--|
| Lesson 1 | <ul style="list-style-type: none"> <li>Understanding diabetes</li> <li>Blood glucose (target ranges, impacts, and tracking)</li> </ul>               | <ul style="list-style-type: none"> <li>Healthy eating guidelines</li> <li>Diabetes plate method</li> </ul>  | <ul style="list-style-type: none"> <li>Physical activity benefits and effect on blood glucose</li> <li>Healthy physical activity guidelines</li> </ul> |
| Lesson 2 | <ul style="list-style-type: none"> <li>Weight loss benefits</li> <li>Healthy and realistic weight loss guidelines</li> </ul>                         | <ul style="list-style-type: none"> <li>Carbohydrate counting</li> </ul>   | <ul style="list-style-type: none"> <li>Physical activity and weight loss</li> <li>Physical activity safety</li> </ul>                                  |
| Lesson 3 | <ul style="list-style-type: none"> <li>Diabetes complications</li> <li>Diabetes Standards of Care</li> <li>Stress and diabetes management</li> </ul> | <ul style="list-style-type: none"> <li>Healthful food choices, using labels (increase fiber; lower saturated fat, sodium, and added sugar)</li> </ul> | <ul style="list-style-type: none"> <li>Types of physical activity</li> <li>Staying motivated</li> <li>Physical activity resources</li> </ul>           |
| Lesson 4 | <ul style="list-style-type: none"> <li>Importance of the health care team</li> <li>National, state, and local diabetes resources</li> </ul>          | <ul style="list-style-type: none"> <li>Modifying recipes (increase fiber; lower saturated fat, sodium and added sugar)</li> </ul>                     | <ul style="list-style-type: none"> <li>Decreasing sedentary activities</li> <li>Community physical activity resources</li> </ul>                       |

**Table 2.** Participants' Gender and Age Ranges

| Gender             | % (n)   |
|--------------------|---------|
| Female             | 75 (79) |
| Male               | 25 (26) |
| Age Range          |         |
| 20–39 years        | 1 (1)   |
| 40–59 years        | 21 (22) |
| 60–79 years        | 57 (60) |
| 80 years and above | 21 (22) |

*Note.* Columns may not add to 100 due to rounding.

**Table 3.** Participants' Live well, Eat well, be Active with Diabetes Program and Health Evaluation

| Program Evaluation Items                               | Yes % (n)  | No % (n) |                     |
|--|------------|----------|---------------------|
| The program was helpful to me.                         | 99% (104)  | 1% (1)   |                     |
| The program was easy to understand.                    | 98% (103)  | 2% (2)   |                     |
| Would you recommend this program to others?            | 100% (104) | 0% (0)   |                     |
| Overall, I feel better able to take care of my health. | 100% (101) | 0% (0)   |                     |
| Health Evaluation Items                                | Yes % (n)  | No % (n) | I Do Not Know % (n) |
| I have maintained or lost weight.                      | 76 (80)    | 10 (10)  | 14 (15)             |
| My blood glucose is in better control.                 | 68 (71)    | 2 (2)    | 30 (32)             |

*Note.* Rows may not add to 100 due to rounding.

**Table 4.** Participants' 'Live well' Evaluation (n=107)

| 'Live well' Question Items  | Retrospective Pre Median (Q1, Q3) <sup>a</sup> | Post Median (Q1, Q3) <sup>b</sup> | Difference Median (Q1, Q3) <sup>c</sup> | p Value <sup>d</sup> | % Increased <sup>e</sup> |
|---|--|-----------------------------------|---|----------------------|--------------------------|
| I understand what type 2 diabetes is.   | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 43%                      |
| I understand the long-term effects of high blood glucose.                                 | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 52%                      |
| I understand what can increase or decrease my blood glucose.                              | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 61%                      |
| I understand how to manage my diabetes.   | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 60%                      |
| I feel I have an important role with my health care team.                                 | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 43%                      |
| I check my blood glucose regularly  | 2 (0, 2)                                       | 2 (1, 2)                          | 0 (0, 1)                                | <0.0001              | 32%                      |
| I check my feet regularly.  | 1 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 51%                      |
| I feel it is important to have regular diabetes check-ups.                                | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 32%                      |
| I feel it is important to have regular eye exams.   | 2 (2, 2)                                       | 2 (2, 2)                          | 0 (0, 0)                                | <0.0001              | 20%                      |
| I feel it is important to have regular dental exams.                                      | 2 (2, 2)                                       | 2 (2, 2)                          | 0 (0, 0)                                | <0.0001              | 24%                      |
| I feel it is important to know what to do when I am sick.                                 | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 32%                      |
| I feel it is important to know what to do when my blood glucose goes too high or too low. | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 39%                      |
| I feel because I have diabetes it is important to manage stress.                          | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 54%                      |
| <b>'Live well' Total Score</b>  | <b>18 (15, 22)</b>                             | <b>26 (24, 26)</b>                | <b>6 (2, 10)</b>                        | <b>&lt;0.0001</b>    | <b>83%</b>               |

<sup>a</sup>Retrospective pre median (1st and 3rd quartiles).

<sup>b</sup>Post median (1st and 3rd quartiles).

<sup>c</sup>Difference retrospective pre to post median (1st and 3rd quartiles).

<sup>d</sup>P values for difference retrospective pre to post Wilcoxon matched-pairs signed-ranks test.

<sup>e</sup>Percent of participants who increased retrospective-pre to post question item rank or total score.

**Table 5.** Participants' 'Eat well' Evaluation (n=107)

| 'Eat Well' Question Items                             | Retrospective Pre Median (Q1, Q3) <sup>a</sup> | Post Median (Q1, Q3) <sup>b</sup> | Difference Median (Q1, Q3) <sup>c</sup> | p Value <sup>d</sup> | % Increased <sup>e</sup> |
|---|--|-----------------------------------|---|----------------------|--------------------------|
| I understand the plate method.                        | 0 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 2)                                | <0.0001              | 73%                      |
| I understand carbohydrate counting.                   | 1 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 2)                                | <0.0001              | 69%                      |
| I am comfortable with diabetes meal planning.         | 1 (1, 2)                                       | 2 (1, 2)                          | 1 (0, 2)                                | <0.0001              | 63%                      |
| I am aware of appropriate food portion sizes.         | 1 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 57%                      |
| I choose lots of non-starchy vegetables.              | 1 (0, 2)                                       | 2 (1, 2)                          | 1 (0, 1)                                | <0.0001              | 56%                      |
| I choose high fiber starches (breads, cereals, etc.). | 1 (0, 2)                                       | 2 (1, 2)                          | 0 (0, 1)                                | <0.0001              | 42%                      |
| I choose lean protein foods.                          | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 39%                      |
| I choose whole fruits more than juice.                | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 36%                      |
| I choose low-fat or fat-free milk products.           | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 43%                      |
| I choose foods with less added sugar.                 | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 43%                      |
| I choose beverages with less added sugar.             | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 35%                      |
| I choose foods with less sodium (salt).               | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 43%                      |
| I read food labels to make more healthful choices.    | 1 (0, 1)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 52%                      |
| I prepare foods with less solid fats.                 | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 50%                      |
| I prepare foods with less added sugar.                | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 46%                      |
| I prepare foods with less salt.                       | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 48%                      |
| I prepare healthy meals at home.                      | 1 (1, 2)                                       | 2 (1, 2)                          | 1 (0, 1)                                | <0.0001              | 52%                      |
| I make healthy food choices when eating out.          | 1 (0, 1)                                       | 2 (1, 2)                          | 1 (0, 1)                                | <0.0001              | 61%                      |
| <b>'Eat well' Total Score</b>                         | <b>21 (15, 27)</b>                             | <b>34 (30, 36)</b>                | <b>11 (6, 17)</b>                       | <b>&lt;0.0001</b>    | <b>91%</b>               |

<sup>a</sup>Retrospective pre median (1st and 3rd quartiles).

<sup>b</sup>Post median (1st and 3rd quartiles).

<sup>c</sup>Difference retrospective pre to post median (1st and 3rd quartiles).

<sup>d</sup>P values for difference retrospective pre to post Wilcoxon matched-pairs signed-ranks test.

<sup>e</sup>Percent of participants who increased retrospective-pre to post question item rank or total score.

**Table 6.** Participants' 'be Active' Evaluation (n=107)

| 'be Active' Question Items  | Retrospective Pre Median (Q1, Q3) <sup>a</sup> | Post Median (Q1, Q3) <sup>b</sup> | Difference Median (Q1, Q3) <sup>c</sup> | p Value <sup>d</sup> | % Increased <sup>e</sup> |
|---|--|-----------------------------------|---|----------------------|--------------------------|
| I understand I should check with my health care provider before increasing my physical activity.                                    | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 34%                      |
| I understand how physical activity can affect blood glucose.  | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 50%                      |
| I understand the importance of checking my blood glucose if I am going to be physically active.                                     | 1 (1, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 55%                      |
| I know the signs of low blood glucose during physical activity.   | 1 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 1)                                | <0.0001              | 50%                      |
| I understand I should check with my health care provide about what to do if my blood glucose goes too low during physical activity. | 1 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 49%                      |
| I understand why I should drink plenty of fluids while being physically active.   | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 1)                                | <0.0001              | 26%                      |
| I understand why I should wear appropriate shoes for physical activity.   | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 0)                                | <0.0001              | 24%                      |
| I understand why I should check my feet after physical activity.  | 1 (0, 2)                                       | 2 (2, 2)                          | 1 (0, 2)                                | <0.0001              | 54%                      |
| I understand why I should choose a safe place to be physically active if I have diabetes.   | 2 (1, 2)                                       | 2 (2, 2)                          | 0 (0, 0)                                | <0.0001              | 23%                      |
| I understand that if I feel sick, dizzy, or out of breath to stop physical activity.  | 2 (2, 2)                                       | 2 (2, 2)                          | 0 (0, 0)                                | <0.0001              | 23%                      |
| I am physically active.   | 1 (1, 2)                                       | 2 (1, 2)                          | 1 (0, 1)                                | <0.0001              | 42%                      |
| I do strengthening activities.  | 1 (0, 1)                                       | 2 (1, 2)                          | 0 (0, 1)                                | <0.0001              | 47%                      |
| I do balance and stretching activities.   | 1 (0, 1)                                       | 2 (1, 2)                          | 1 (0, 1)                                | <0.0001              | 53%                      |
| <b>'be Active' Total Score</b>  | <b>16 (12, 23)</b>                             | <b>25 (23, 26)</b>                | <b>6 (2, 13)</b>                        | <b>&lt;0.0001</b>    | <b>78%</b>               |

<sup>a</sup>Retrospective pre median (1st and 3rd quartiles).

<sup>b</sup>Post median (1st and 3rd quartiles).

<sup>c</sup>Difference retrospective pre to post median (1st and 3rd quartiles).

<sup>d</sup>P values for difference retrospective pre to post Wilcoxon matched-pairs signed-ranks test.

<sup>e</sup>Percent of participants who increased retrospective-pre to post question item rank or total score.



## CONCLUSIONS

Research indicates understanding information related to diabetes self-care can help people with diabetes management (Siopis et al., 2021). Evaluation of the LEAD curriculum signifies the program was well received by participants and enhanced their understanding of diabetes management.

## LIMITATIONS

This study is not without limitations. One limitation is we did not ask participants if they had diabetes. Knowing if participants had diabetes would be beneficial in evaluating future diabetes curriculums. In addition, all participants being from Oklahoma limits the generalizability of the findings. Further, participants' willingness to attend indicates a desire to receive diabetes management education, which could influence their perception of the curriculum.

## REFERENCES

- Academy of Nutrition and Dietetics & American Diabetes Association. (2019). *Choose Your Foods: Foods Lists for Diabetes*.
- American Diabetes Association. (2021). Standards of Medical Care in Diabetes – 2021. *Diabetes Care*, 44(1), S1-S232. <https://doi.org/10.2337/dc21-Sint>
- America's Health Rankings United Health Foundation. (2022). *Annual report: Diabetes Oklahoma*. <https://www.americashealthrankings.org/explore/annual/measure/Diabetes/state/OK?edition-year=2021>
- Association of Diabetes Care & Education Specialist. (2021). *The benefits of diabetes education*. <https://www.diabeteseducator.org/practice/provider-resources/benefits-of-diabetes-education>
- Centers for Disease Control and Prevention. (2012). *Increasing prevalence of diagnosed diabetes - United States and Puerto Rico, 1995–2010*. [https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6145a4.htm?s\\_cid=mm6145a4\\_w](https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6145a4.htm?s_cid=mm6145a4_w)
- Centers for Disease Control and Prevention. (2017). *Diabetes: Preventive care practices*. <https://www.cdc.gov/diabetes/pdfs/library/diabetesreportcard2017-508.pdf>
- Centers for Disease Control and Prevention. (2018). *Self-Management Education: Learn More. Feel Better*. [www.cdc.gov/learnmorefeelbetter/programs/diabetes.htm](http://www.cdc.gov/learnmorefeelbetter/programs/diabetes.htm)
- Davis, G.A. (2003). *Using a retrospective pre-post questionnaire to determine program impact*. *Journal of Extension*, 42(4). <https://archives.joe.org/joe/2003august/tt4.php>
- Economic Research Service. (2021). *Rural Classifications*. <https://www.ers.usda.gov/topics/rural-economy-population/rural-classifications/>
- Faidon, M., Hjorth, M.F., & Astrup, A. (2020). Diet and exercise in the prevention and treatment of type 2 diabetes mellitus. *Nature Reviews Endocrinology*, 16(10), 545–555. <https://doi.org/10.1038/s41574-020-0381-5>
- Grenci, A. (2010). Applying new diabetes teaching tools in health-related extension programming. *Journal of Extension*, 48(1). <https://archives.joe.org/joe/2010february/iw5.php>
- Kaiser, L.L., Martin, A.C., Blackburn, M.L., Metz, D.L., Smith, D., Donohue, S.S., Lexion, C.C., & Steinberg, F.M. (2009). Take care of your health! An extension program to prevent diabetes. *Journal of Extension*, 47(4). <https://archives.joe.org/joe/2009august/a5.php>
- Oklahoma State Department of Health. (2022). *Diabetes in Oklahoma*. <https://oklahoma.gov/health/health-education/chronic-disease-prevention/diabetes.html>
- Williams, D.P., LeBlanc, H., & Christensen, N.K. (2004). Diabetes stepping up to the plate: An education curriculum focused on food portioning skills. *Journal of Extension*, 42(3). <https://archives.joe.org/joe/2004june/rb7.php>
- Santos, J.R.A. (1999). Cronbach's alpha: A tool for assessing the reliability of scales. *Journal of Extension*, 37(2). <https://archives.joe.org/joe/1999april/tt3.php>
- Siopis, G., Colagiuri, S., & Allman-Farinelli, M. (2021). People with type 2 diabetes report dietitians, social support, and health literacy facilitate their dietary change. *Journal of Nutrition Education and Behavior*, 53(1), 43–53. <https://doi.org/10.1016/j.jneb.2020.09.003>